



Piston

TURFMASTER no	Description	Model		OEM no.	Image may not depict the actual size, shape, etc.
---------------	-------------	-------	--	---------	---

BRIGGS & STRATTON

AAB30201	Piston 3, 3.5, 5HP	90100-92900, 93500, 93900, 94599-96500, 98900, 10A900, 130200- 130900	CYLINDER 2.5615" 2.5625) 65mm	793214 Replaces 298904, 393819 Assy	
AAB30201/025	Piston (0.25) 3, 3.5, 5HP	90100-92900, 93500, 93900, 94500-96500, 98900, 10A900, 130200-130900	CYLINDER 2.5715" 2.5725")	298905, 393820	
AAB30201/050	Piston (0.50) 3, 3.5, 5HP	90100-92900, 93500, 93900, 94500-96500, 98900, 10A900, 130200-130900	CYLINDER (2.5815" - 2.5825")	298906, 393821 Assy	
APISBS3HPSTD	Piston 3HP	8B, 8BH, 8BHA, 60000 THRU 80000	60 mm	295445, 295587, 295455	
AAB30206 AAB30004	Piston New 4hp.	110000, 111000 Thru 114000		391650, Assy 396455	
APISBS391651	Piston . New 4hp. (0.25)	110000, 111000 Thru 114000		391651, 396456	
APISBS391652	Piston New 4hp. (0.50)	110000, 111000 Thru 114000		391652, 396457	
APISBQUANTOM05 0	Piston 5hp.	Quantum +20 Quantum XE Vertical 4,5 HP 127700 - 127799, 128800, 12f700, 12f800, 12H700, 12H800, 12U800, 12V800, 12A800, 12B800, 12E700, 12E800, 12K700, 12M800, 12S700, 12S800, 12T700, 12T800		493386	
AAB30211	Piston . 7, 8, 8.5hp.	170000, 171000, 190400- 196700, 19G400, 19A400, 191700, 192400, 171700, 1149-0, 9085-4, 19G437	CYLINDER 2.9999" 3.0000") (76mm)	499907 Replaces 391673, 393868,	
AAB30211/025	Piston. 7, 8, 8.5hp. (0.25)	170000, 171000, 190400- 196700	CYLINDER 3.0099" 3.0100"	391674, 393869	
AAB30211/050	Piston . 7, 8, 8.5hp. (0.50)	17000, 171000, 190400- 196700 19G400, 19A400, 191700, 192400, 171700, 1149-0, 19G437	CYLINDER 3.0199" 3.0200	499909 Replaces 391675, 393879, 499275,	
AAB30211/075	Piston 8hp. AAR6724 (0.75)	(.030" O.S)190000, 191700, 19B400, 192700, 193700, 194400		391676, 393880	
APISBS8STD	Piston 8hp.				
APISBS9HPSTD	Piston 9hp.	114900, 92500, 92900, 110900	76.2 mm	395914 Replaces 299947, 392993	
APISBS10HPSTD	Piston 10hp	10 HP	77.788 mm	299085	
AAB30216	Piston . 10 thru 18HP	220000-222000, 252000- 257000, 280000-286000, 389700, 400000-422000	CYLINDER 3.4365" 3.4375" (77.3mm)	499956 Replaces 499282, 498584, 391285, 391684	
APISBS16HPSTD APISBS16STD AAR8451	Piston 16hp.	32K400, 325430, 320400	90.488 mm	792364 Replaces 390364	
APISBQUANTUM	Piston	QUANTUM 127700, 127800, 128700, 128800, 12F700, 12F800, 12H700, 12H800, 12U800, 12V800, 12A800, 12B800, 12E700, 12E800,	68,1 mm	493262	

Piston

TURFMASTER no	Description	Model		OEM no.	Image may not depict the actual size, shape, etc.
APISBQUANTUM050	Piston (0.50).	QUANTUM 0.050 (.020 Oversize) 127700, 127800, 128700, 128800, 12F700, 12F800, 12H700, 12H800, 12L800, 12V800, 12A800		493386	





HOMELITE

APISHOMST175STD	Piston	ST175 UT-10045B Chainsaw UT-10499-B (SXLAO) Chainsaw UT-10525-B SXLAO Chain Saw UT-10535 SXLAO Chain Saw	25 cc	A68438	
-----------------	--------	--	-------	--------	--

HONDA

APISHONG150STD	Piston	G150 GXV150 G150 (Type HQAF)(VIN# G150-1000001-2017901) Small Engine G150 (Type HZDU)(VIN# G150-	64 mm	13101-887-003 Replaces 13101-887-000	
APISHONG200STD	Piston	G200	67 mm	13101-883-000, 13101-883-010	
APISHONG200025	Piston 0.25	G200 0.25			
APISHONG200050	Piston 0.50	G200 0.50			
APISHONG200075	Piston + 0.75	G200 0.75			
APISHONG200100	Piston 1.00	G200 1.00			
APISHONG300STD	Piston	G300 G300 (Type HQB6)(VIN# G300-1000001-1457696) Small Engine	76 mm	13101-889-000, 13101-889-010	
APISHONG300025	Piston 0.25	G300 0.25 G300 (Type HQB6)(VIN# G300-1000001-1457696) Small Engine		13102-889-010	
APISHONG300050	Piston + 0.50	G300 0.50 G300 (Type HQB6)(VIN# G300-1000001-1457696) Small Engine		13103-889-010	
APISHONG300075	Piston + 0.75	G300 0.75 G300 (Type HQB6)(VIN# G300-1000001-1457696) Small Engine		13104-889-010	
APISHONG300100	Piston 1.00	G300 1.00			
APISHONG400STD	Piston	G400 GV400 G400 (Type QB6)(VIN# G400-1000001-1096247) Small Engine	86 mm	13101-890-000, 13101-890-010	
APISHONG400025	Piston 0.25	G400 0.25 G400 (Type QB6)(VIN# G400-1000001-1096247) Small Engine		13102-890-010	
APISHONG400050	Piston 0.50	G400 0.50 G400 (Type QB6)(VIN# G400-1000001-1096247) Small Engine		13103-890-010	
APISHONG400075	Piston + 0.75	G400 0.75 (Type QB6)(VIN# G400-1000001-1096247) Small Engine		13104-890-010	
APISHONG400100	Piston + 1.00	G400 1.00			
APISHONGX100STD	Piston	GX100 (Type KRA2)(VIN# GCANM-1000001-1099999) Small Engine	56 mm	13101-Z0D-000	
APISHONGX100025	Piston 0.25	GX100 025			
APISHONGX100050	Piston 0.50	GX100 050			
APISHONGX100075	Piston + 0.75	GX100 075			
APISHONGX100100	Piston + 1.00	GX100 100			

Piston

TURFMASTER no	Description	Model		OEM no.	Image may not depict the actual size, shape, etc.
	Pinion	GX100 GC135 (Type VXP5)(VIN# GCAJ-1000001-9999999) Small Engine GC135 (Type WKT2)(VIN# GCAJ-1000001-9999999) Small		13111-ZE0-000	
AHONGX100P4-6 USE APISHONGX100STD	Clip 13 mm	GX100 GC135 (Type VXP5)(VIN# GCAJ-1000001-9999999) Small Engine GC135 (Type WKT2)(VIN# GCAJ-1000001-9999999) Small		90551-ZE0-000	
APISHONGX110STD	Piston AAB30238	GX110	57 mm		
APISHONGX110025	Piston	GX110 (0.25)			
APISHONGX110050	Piston	GX110 (0.50)			
APISHONGX110075	Piston	GX110 (0.75)			
APISHONGX110100	Piston	GX110 (1.00)			
APISHONGX120STD	Piston	GX120 GXV120 GX120K1 (Type AR)(VIN# GC01-2000001-4299999) Small Engine	60 mm	13101-ZE0-000, 13101-ZH7-010	
APISHONGX120050	Piston 050	GX120 0.50 GX120K1 (Type AR)(VIN# GC01-2000001-4299999) Small Engine GX120K1 (Type AR/A)(VIN# GC01-4300001-9099999) Small		13103-ZH7-010 Replaces 13103-ZH7-000	
APISHONGX120075	Piston 075	GX120 0.75 GX120K1 (Type AR)(VIN# GC01-2000001-4299999) Small Engine GX120K1 (Type AR/A)(VIN# GC01-4300001-9099999) Small		13104-ZH7-010	
APISHONGX120100	Piston 100	GX120 1.00			
CP120021002	Piston Pin	GX120			
CP120021003	Piston Clips	GX120			
APISHONGX140STD	Piston	GX140 (PIN 18mm) GX140 (Type QX)(VIN# GX140-1000001-3263982) Small Engine GX140 (Type QXS)(VIN# GX140-1000001-3263982) Small Engine	68 mm	13101-ZE1-010 Replaces 13101-ZE1-000, 13101-ZH7-010	
CP270020002	Piston Clips 18mm	GCV520, GCV530 GX140, GX160 GX200GX240 GX270, GX610, GX620, GXV160, GXV610, GXV620, GXV670 GCV520U (Type QEA1)(VIN# GJABK-1000001) Small Engine GCV520U (Type QEA9)(VIN# GJABK-1000001) Small Engine		90551-ZE1-000	
APISHONGX160STD	Piston Standard AAB30242	GX160, GXV160 GX160H1 (Type QX2)(VIN# GCAAH-1000001-9999999) Small Engine GX160K1 (Type AR)(VIN# GC02-8670001-9099999) Small Engine	CYLINDER 68 mm	13101-ZH8-010, 13101-ZH8-000	
APISHONGX160025	Piston + 0.25	GX160 0.25 GX160H1 (Type QX2)(VIN# GCAAH-1000001-9999999) Small Engine		13102-ZH8-010, 13102-ZH8-000	
APISHONGX160050	Piston + 0.50	GX160 -.50 GX160H1 (Type QX2)(VIN# GCAAH-1000001-9999999) Small Engine GX160K1 (Type AR)(VIN# GC02-8670001-9099999) Small Engine		13103-ZH8-010, 13103-ZH8-000	
APISHONGX160075	Piston + 0.75	GX160, 0.75		13104-ZF1-010 + 13111 -ZE1-000 + 90551-ZE1-000	
APISHONGX160100	Piston + 1.00	GX160, 1.00			

Piston

TURFMASTER no	Description	Model		OEM no.	Image may not depict the actual size, shape, etc.
APISHONGX200STD	Piston	GX200 STD	68 mm	13101-883-010 13101-883-003 + 13111-883-000 + 90551-883-000	
APISHONGX200025	Piston + 0.25	GX200 0.25		13102-883-003 + 13111-883-000 + 90551-883-000	
APISHONGX200050	Piston + 0.50	GX200 0.50		13103-883-003 + 13111-883-000 + 90551-883-000	
APISHONGX200075	Piston + 0.75	GX200 0.75		13104-883-003 + 13111-883-000 + 90551-883-000	
APISHONGX200100	Piston + 1.00	GX200 1.00			
CP270020002	Piston Clips	GCV520, GCV530 GX140, GX160 GX200GX240 GX270, GX610, GX620, GXV160, GXV610, GXV620, GXV670		90551-ZE1-000	
APISHONGX240STD	Piston Standard AAB30243	GX240	CYLINDER 73 mm	13101-ZE2-000, 13101-ZE2-010, 13101-ZE2-W00	
APISHONGX240025	Piston + 0.25	GX240 0.25		13102-ZE2-W00 + 13111-ZE2-000 + 90551-ZE1-000	
APISHONGX240050	Piston + 0.50	GX240 0.50		13103-ZE2-W00 + 13111-ZE2-000 + 90551-ZE1-000	
APISHONGX240075	Piston + 0.75	GX240, 0.75		13104-ZE2-W00 + 13111-ZE2-000 + 90551-ZE1-000	
APISHONGX240100	Piston + 1.00	GX240, 1.00			
CP270020001	Piston Pin	GX240 GX270		13111-ZE2-000	
CP270020002	Piston Clips	GX240 GX270		90551-ZE1-000	
APISHONGX270STD	Piston Standard AAB30245	GX270	77 mm	13101-ZH9-000, 13101-ZE8-000	
APISHONGX270025	Piston + 0.25	GX270, 0.25		13102-ZH9-000 + 13111-ZE2-000 + 90551-ZE1-00	
APISHONGX270050	Piston + 0.50	GX270, 0.50		13103-ZH9-000 + 13111-ZE2-000 + 90551-ZE1-00	
APISHONGX270075	Piston + 0.75	GX270, 0.75		13104-ZH9-000 + 13111-ZE2-000 + 90551-ZE1-00	
APISHONGX270100	Piston + 1.00	GX270, 1.00			
CP270020001	Piston Pin	GX240 GX270		13111-ZE2-000	
CP270020002	Piston Clips	GCV520, GCV530 GX140, GX160 GX200GX240 GX270, GX610, GX620, GXV160, GXV610, GXV620, GXV670		90551-ZE1-000	
APISHONGX340STD	Piston Standard AAB30244	GX340 GXV340	82 mm	13101-ZE3-000, 13101-ZH8-010, 13101-ZE3-W00	
APISHONGX340025	Piston + 0.25	GX340 0.25		13102-ZE3-W00 + 13111-ZF6-000 + 90601-ZE3-000	
APISHONGX340050	Piston + 0.50	GX340 0.50		13103-ZE3-W00 + 13111-ZF6-000 + 90601-ZE3-000	



Piston

TURFMASTER no	Description	Model		OEM no.	Image may not depict the actual size, shape, etc.	
APISHONGX340075	Piston + 0.75	GX340,	0.75	13104-ZE3-W00 + 13111-ZF6-000 + 90601-ZE3-000		
APISHONGX340100	Piston + 1.00	GX340,	1.00			
CP340020001	Piston Pin	GX340		13111-ZF6-000		
APISHONGX390STD	Piston Standard AAB30241	GX390, GXV390		88 mm		13101-ZF6-000, 13101-ZF0-W00
APISHONGX390025	Piston + 0.25	GX390,	0.25			13102-ZF6-W00 + 13111-ZF6-W00 + 90601-ZE3-000
APISHONGX390050	Piston + 0.50	GX390,	0.50			13103-ZF6-W00 + 13111-ZF6-W00 + 90601-ZE3-000
APISHONGX390075	Piston + 0.75	GX390,	0.75			13104-ZF6-W00 + 13111-ZF6-W00 + 90601-ZE3-000
APISHONGX390100	Piston + 1.00	GX390,	1.00			
CP390020001	Piston Pin	GX390				13111-ZF6-W00
CP390020002	Piston Pin Clip	GX390				90601-ZE3-000
APISHONGXV160 CPV160P1050003	Piston	GXV160		68 mm		
CP270020002	Piston Clips	GCV520, GCV530 GX140, GX160 GX200GX240 GX270, GX610, GX620, GXV160, GXV610, GXV620, GXV670				90551-ZE1-000

HUSQVARNA

APISHUSP61STD SAME AS BELOW	Piston fits Cylinder AAB30220 (AARM65-1826)	Husqvarna chain saw model 61, will also fit some older Jonsereds chain saw models 625 and 630. 61 (1987-11) Chainsaw 61 (1988-06) Chainsaw 61 (1997-01) Chainsaw	48mm x 1.5mm x 1	503 53 90 02 (Piston) Replaces 503 53 22 02 AHUSPS61-C6	
APISHUSP61STD	Piston	Husqvarna 61 Jonsered 625, 630 Important Note Fits newer Husqvarna 61 chainsaws (after 1986) version. Be sure to check before ordering. Bore 48mm Height 39mm Head Type Flat Piston Pin 12mm x 33mm x 8mm Rings 48mm x 1.5mm (F-Cast GH.F) Compression/Pin Top to top of Piston 16mm Compression/Pin Center to top of Piston 22mm		504 53 90 02 Replaces 503 53 22 02	
APISHUS142STD	Piston	Husqvarna 41, 141, 142 Chainsaw Note Bore 40mm Height 34 mm Head Type P Piston Pin Rings 40mm x 1.5mm x 1 Rad 1.65 Compression/Pin Top to top of Piston		530 06 94 54 AB029 + AB030 + AB031	

Piston

TURFMASTER no	Description	Model		OEM no.	Image may not depict the actual size, shape, etc.
		Compression/Pin Center to top of Piston 16.00			
		Husqvarna 266 266XP Chainsaw			
APISHUS266STD	Piston	<ul style="list-style-type: none"> ■ Note ■ Bore 50 mm ■ Height 40.50 mm ■ Head Type P ■ Piston Pin 12 x 33 x 8 ■ Rings 50 mm x 1.5 mm x 1 Rad 2.1 ■ Compression/Pin Top to top of Piston ■ Compression/Pin Center to top of Piston 24.00 		503 50 37 01 Replaces 503 08 78 03, 501 87 82 03,	
		Husqvarna 268 268S 268K Chainsaw			
APISHUS268STD	Piston	<ul style="list-style-type: none"> ■ Note ■ Bore 50 mm ■ Height 40.50 mm ■ Head Type P ■ Piston Pin 12 x 33 x 8 ■ Rings 50 mm x 1.5 mm x 1 Rad 2.1 G15 ■ Compression/Pin Top to top of Piston ■ Compression/Pin Center to top of Piston 24.00 		503 44 83 71 (Piston only)	
APISHUS269STD	Piston	269			
APISHUS288STD AAB30224	Piston fits Cylinder (AAB30224)	288 281	54mm x 1.5 x 2 OLD	503 50 60 02 (Piston Cpl)	
APISHUS345STD	Piston	345, 346XP	42mm x 1.5mm x 1	503 90 73 71 (Piston Assy.)	
APISHUS365STD	Piston	365 2065 2165	48mm x 1.5mm x 1	503 69 13 71 (Piston Assy.) 503 69 13 03 (Piston Cpl)	
APISHUS2065STD USE APISHUS365STD	Piston	2065 365 2165	48mm x 1.5mm x 1	503 69 13 71 (Piston Assy.) 503 69 13 03 (Piston Cpl)	
APISHUS2165STD USE APISHUS365STD	Piston	2165 365 2065	48mm x 1.5mm x 1	503 69 13 71 (Piston Assy.) 503 69 13 03 (Piston Cpl)	
KAWASAKI					
APISKAWTD33STD	Piston	TD33	37 mm x x 2	13001-2069	
		Kawasaki TD40			
APISKAWTD40STD	Piston	<ul style="list-style-type: none"> ■ Note ■ Bore 40 mm ■ Height 37.50 mm ■ Head Type B - 3,5 ■ Piston Pin 11 x 35 x 7 ■ Rings 40 mm x 1.5 mm x 2 Rad 1.65 G15H ■ Compression/Pin Top to top of Piston ■ Compression/Pin Center to top of Piston 16.50 		310501-3111C, 13001-2083 MBC944744	
APISKAWTH43STD	Piston	TH43	41.5 mm X mm X 2	13001-2140	
		Kawasaki TH48			
APISKAWTH48STD	Piston	<ul style="list-style-type: none"> ■ Note ■ Bore 44 mm ■ Height 35.00 mm ■ Head Type B - 1 + P ■ Piston Pin 11 x 35 x 7 		13001-2141	

Piston


TURFMASTER no	Description	Model		OEM no.	Image may not depict the actual size, shape, etc.
		<ul style="list-style-type: none"> ■ Rings 44 mm x 1.5 mm x 2 Rad 1.85 G15HP ■ Compression/Pin Top to top of Piston ■ Compression/Pin Center to top of Piston 16.50 			

KOHLER

APISKOHK181STD	Piston (AAB30251)	K161, K181	74.623 mm	4187405, 4107405, 4187405S Assy
APISKOHK241STD AAB30033	Piston Standerd AAB30256	K241, K482, M10		4787401, 4107411, 4787401S Assy
APISKOHK241025	Piston + 0.25	K241, K482, M10	CYLINDER 3.251"	4787403, 4707413, 4787403S
APISKOHK301STD	Piston Standerd	K301 M12	CYLINDER 3.375"	4707416, 4787406, 4787406S,
APISKOHK301025	Piston + 0.25	K301 M12	CYLINDER 3.385"	4787408, 4707403, 4707418, 4787407S, 4787408S
APISKOHK301050	Piston + 0.50	K301 M12	CYLINDER 3.295"	4787409, 4787409S
APISKOHK301075	Piston + 0.75	K301 M12	CYLINDER 3.405"	4787410, 4707405, 47074020, 4787410S
APISKOHK301100	Piston + 1.00	K301 M12		
APISKOHK321STD	Piston Standerd	K321 K33, M14	CYLINDER 3.500"	4787411, 4707406 4787411-S,
APISKOHK321025	Piston + 0.25	K321 M14	CYLINDER 3.510"	4707408, 4787413, 4787413-S, A-237403
APISKOHK321050	Piston + 0.50	K321 M14	CYLINDER 3.520"	4787414, 4707409, 4787414-S , A-237404
APISKOHK321075	Piston + 0.75	K321 M14	CYLINDER 3.530"	4787415 4707425, 4787415-S, A-237405
APISKOHK321100	Piston + 1.00	K321 M14		
APISKOHK341STD	Piston 1(old type) (AAB30267)	K341 M16	95.25 mm	4507401, 4507411, 4507421, 4507431, 4507461, 4587401-Sassy
APISKOHK341025	Piston + 0.25	K341 M16	CYLINDER 3.760"	4507403, 4507423, 4507433, 4507463, 4587403, 4587403-S
APISKOHM8STD	Piston Standerd	M8	74.6 mm	
APISKOHM8025	Piston + 0.25	M8		
APISKOHM12STD	Piston Standerd USE APISKOH241ST	M12	85.725 mm	47 874 16
APISKOHM12025	Piston + 0.25 USE APISKOH24102	M12		



Piston

TURFMASTER no	Description	Model		OEM no.	Image may not depict the actual size, shape, etc.
APISKOHM12050	Piston + 0.50 USE APISKOH24105	M12			
APISKOHM16STD	Piston Standard USE APISKOH341ST	M16	95.25	45 874 11	
APISKOHM16025	Piston + 0.25 USE APISKOH34102	M16			
APISKOHM16050	Piston + 0.50 USE APISKOH34105	M16			
APISKOHM16075	Piston + 0.75 USE APISKOH34107	M16			

KOMATSU - ZENOAH

PM3800-D4	Piston only	3800			
PM3800-D3	Pistin Pin / Snap ring	3800			
PM3800-D5	Piston Washer	3800			
PM4500-D4	Piston Only	4500			
PM4500-D3	Piston Pin / Snap ring	4500			
PM4500-D5	Piston Washer	4500			
PMYD62-01-03-02-00	Piston only	6200			
PMYD62-01-03-00-2	Piston Pin	6200			
APISKOMBBC4310STD POWER PRO USE AAB30281	Piston only	BC4310 G45L G4K (40MM) BC4310FW (PPKOMBC4310FW1-12B)			521 32 51 01 Replaces 4500-41110, 450041110
APISKOME415STD POWER PRO	Piston only	EB415 Blower			1E40FP-3Z.3-2
AAB30281	Piston only	G45L BC4310FW PPKOMBBC4310FW-1-12B	35 mm		
APISKOMG4KSTD AAB30281	Piston only	G4K 436DLM 435DWM BK436FL AG431 G4K BC4310	40 mm		
PM5200-D4	Piston only	G5200			
PM5200-D4NEW	Piston only	G5200 New Chinese Model			
PM5200-D2	Piston Retainer	G5200			
PM5200-D2NEW	Piston Retainer	G5200 New Chinese Model			
PM5200-D3	Piston Pin / Snap ring	G5200			
PM5200-D5	Piston Washer	G5200			
PM5200-D6	D6 / D4	G5200			
PM5200-D6/D4	Piston	G5200			



MARUYAMA


AB029	Piston	Maruyama AE420 <ul style="list-style-type: none"> ■ Note ■ Bore 40 mm ■ Height 38.00 mm ■ Head Type B - 2,5 ■ Piston Pin 11 x 35 x 7 ■ Rings 40 mm x 1.5 mm x 2 Rad 1.65 G15H 			
-------	--------	--	--	--	--

Piston

TURFMASTER no	Description	Model	OEM no.	Image may not depict the actual size, shape, etc.
		<ul style="list-style-type: none"> ■ Compression/Pin Top to top of Piston ■ Compression/Pin Center to top of Piston 16.50 		
AB061	Piston	AE520	264003	

MITSUBISHI

Mitsubishi TL200 K40 8420 T200				
APISMITT200STD AND APIMITT200KIT	Piston	<ul style="list-style-type: none"> ■ Note ■ Bore 39 mm ■ Height 38.70 mm ■ Head Type B - 3,2 ■ Piston Pin 10 x 31,5 x 6 ■ Rings 39 mm x 1.5 mm x 2 Rad 1.65 G15HP ■ Compression/Pin Top to top of Piston ■ Compression/Pin Center to top of Piston 16.50 	FR673515 FR67315 (Piston Only)	
APISMITT240STD	Piston	T240	44 mm X mm X 2	FR67320
MBC575349	Piston	T240	44 mm X mm X 2	FR67322
APISMITTL23STD	Piston	TL23	31 mm	FR64264
APISMITTL231STD	Piston	TL231	32 mm X 1.5 mm X 2	
APISMITTL26STD	Piston w/pin & clips (AAB30282)	TL26	33 mm X 1.5 mm X 2	KP01026AA KP01036AA (Piston Only)
APISMITTL33STD OR APISMITTL33KIT	Piston w/pin & clips (AAB30280)	TL33	36 mm X 1.5 mm X 2	KP01031AA, FR66812 Power Pro 33 (E43) PM330-E43
Mitsubishi TL43				
APISMITTL43STD OR APISMITTL43KIT	Piston	<ul style="list-style-type: none"> ■ Note ■ Bore 40 mm ■ Height 39.50 mm ■ Head Type B - 3,5 ■ Piston Pin 10 x 31,5 x 6 ■ Rings 40 mm x 1.5 mm x 2 Rad 1.65 G15HP ■ Compression/Pin Top to top of Piston ■ Compression/Pin Center to top of Piston 17.00 	FR67315/8 , FR34111 KP01029AA (Piston Only) MBC587191	
Mitsubishi TL52				
APISMITTL52STD OR APISMIT	Piston	<ul style="list-style-type: none"> ■ Note ■ Bore 44 mm ■ Height 40.00 mm ■ Head Type B - 4 ■ Piston Pin 10 x 36 x 6 ■ Rings 44 mm x 2.00 mm x 2 Rad 1.85 G15HP ■ Compression/Pin Top to top of Piston ■ Compression/Pin Center to top of Piston 17.00 	KP 01030AA (Piston Only), FR66551, FR34111 MBC587191 Power Pro 52 (46)	
APISMITTU26STD	Piston w/pin & clips fits	TU26		
APISMITTU43STD OR APISMITTU43KIT	Piston	TU43		KP13008AA




MULTIMOTO

APISMUL43CCSTD	Piston fits (AAB30284) USE APISMITTL43 STD	43cc	40 mm	
----------------	--	------	-------	--



PARTNER

Piston

TURFMASTER no	Description	Model		OEM no.	Image may not depict the actual size, shape, etc.
APISPARK650 AAB30255	Piston	K650 ACTIVE K700	50 mm x mm x 2	506 09 90 01	
POWER PRO DIESEL SEE YANMAR					
POWER PRO PETROL NOT THE SAME AS HONDA					
POWER PRO					
PM1E32F-2.4-1	Piston	SG230 SG 230 OLD			
PM1E32FL.3-2	Piston	SLP600			
PM1E34F.6-6	Piston	EB260 EBC260 EB240 Pole Pruner Orange			
TAN-PRO2600VA3	Piston	EBV260E			PM1E34F-E.4-1
APISMITTL33STD	Piston	CG330B TB33 CH330H Pro 33 TL33	1E36F-2.4.2		PM330-E43 PM1E36F-2.4.2
APISMITTL43STD PM1E40F-E.4-1	Piston	CG430 Pro 43 TL43 TB43 BC43`0 CG430 BC46H	1E40F-5.4-1 KP01029AA MBC587191		
PM1E40FP-3Z.3-2	Piston	3WF-3A EB415 Blower old 20/42 Mist Blower 425 Back Pack Blower			
APISMITTL52STD	Piston	Power Pro 52 TL52	1E44F-2A.2-1 KP01030AA MBC587193		
PM1E48FP.5-5	Piston				
PM1E54FP.3-1	Piston	Pro 850 Blower	PMEB850-25 1E54FP.3-1		
PM1E58FL.6-8	Piston		1E58FL.6-8		
PM3800-D4	Piston	3800 Chain Saw	3800-D4		
PM4500-D4	Piston	4500 Chain Saw	4500-D4		
PM5200-D2NEW	Piston Clip	5200 Chain Saw New	5200-D2NEW		
PM5200-D2	Piston Clip	5200 Chain Saw New	5200-D2NEW		
PM5200-D4	Piston	5200 Chain Saw New	5200-D4		
PM5200-D4NEW	Piston	5200 Chain Saw New	5200-D4NEW		
PM5200-D6/D4	Piston	5200 Chain Saw New	5200-D6/D4		
PMED49-52	Piston		ED49-52		
PMYD50-01-03-00-00	Piston	5200 Chain Saw	YD50-01-03-00-00		
PMYD62-01-03-02-00	Piston	6200 Chain Saw	YD62-01-03-02-00		
PM5900MS-B4	Piston	Power Pro 5900 Chain Saw Stihl MS360	1125-030-2001		
PM1E32F-2.4-3	Piston Pin	SG230 SG 230 Old SC230 Trimmer	1E32F-2.4-3		
TAN-PRO2600VA32	Piston Pin	EB260, EBV260E EB240 Blower Pole Pruner Orange	1E34F.6-3		PM1E34F.6-3






Piston

TURFMASTER no	Description	Model		OEM no.	Image may not depict the actual size, shape, etc.
TAN-PRO33A41	Piston Pin	CG330B TB33 CG330H CG330B Pro 33 TL33	1E36F.10-1	PM330-E44	
PM1E40FP-3Z.3-3	Piston Pin	3WF-3A EB415 Blower Old Mist Blower 20/42 415 Back Pack Blower 26/40 Mist	1E40FP-3Z.3-3		
TAN-PRO52A47	Piston Pin	CG520 Brush Cutter TL52 Pro 52 EB500 Blower	1E44F-2A.2-2 FR67322 MBC575349	PM520-E47	
PM420-E47	Piston Pin	CG430 Brush Cutter TB43 BC4310 Pro 43 TL43	1E46FP.6-3 FR67317 MBC575405		
PM1E48FP.5-2	Piston Pin		1E48FP.5-2		
PM1E58FL.6-6	Piston Pin	3WF-20	1E58FL.6-6		
PM5900MS-B6	Piston Pin	Pro 5900 Chain Saw Stihl MS360	5900MS-B6 1125-034-1500		
PM6MF-30.1.4-2	Piston Pin	EB850 Back Pack Blower	6MF-30.1.4-2		
PMED49-51	Piston Pin		ED49-51 541 2500300		
PMYD50-01-03-3	Piston Pin		YD50-01-03-3		
PMYD62-01-03-00-2	Piston Pin		YD62-01-03-00-2		
PM72B005	Piston Pin	Power Pro 7201MS Stihl 038	72B005 1108-034-1501		
PM1E32F-2.4-2	Piston Pin Circlip	Trimmer CS230	1E32F-2.4-2		
PM1E34F.6-2	Piston Pin Circlip	Pole Pruner Orange EB260 EBV260 EB240 SLP600	1E34F.6-2		
TAN-PRO33A44	Piston Pin Circlip	TB33 CG330H PRO 33 TL33	1E36F.10-2 330-E42 BG03488	PM330-E42	
AB031 MBC262479	Piston Pin Circlip	Pro 52 Pro 43 TL52 TL43 TB43 BC46H BC4310	1E40F-03.02.01 FR34111 MBC575347	PM1E40F- 03.02.01	
PM1E40FP-3Z.3-4	Piston Pin Circlip	20/42 Mist Blower 415 Back Pack Blower	1E40FP-3Z.3-4		
PM1E58FL.6-5	Piston Pin Circlip	Power Pro EB850 Back Pack Blower Power Pro MT120	1E58FL.6-5		
PMYD45-01-03-4	Piston Pin Circlip	4500 Chain Saw	YD45-01-03-4		
PM72B006	Piston Pin Circlip	Power Pro 7201MS Stihl 038	72B006 9463-650-1200		
PM3800-D3		Power Pro 3800 Chain Saw	3800-D3		
PM4500-D3		Power Pro 4500 Chain Saw	4500-D3		
PM5200-D3		Power Pro 5200 Chain Saw	5200-D3		


ROBIN

APISROBEC10STD	Piston Standerd (AAB30271)	EC10	50 mm x x 2	106-23401-01, 106-23401-11	
APISROBEC10025	Piston 0.25	EC10, (+0.25)		106-23402-01	
APISROBEC10050	Piston 0.50	EC10, (+0.50)		106-23403-01	
APISROBEC10075	Piston 0.75	EC10, (+0.75)		106-23404-01	
APISROBEC10100	Piston 1.00	EC10, (+1.00)		106-23405-01	


Piston

TURFMASTER no	Description	Model		OEM no.	Image may not depict the actual size, shape, etc.	
APISROBEC17STD	Piston Standerd (AAB30272)	EC17,		62 mm x x 2	107-23401-01 107-23501-17 107-23501-07	
APISROBEC17025	Piston EC17 + 0.25	EC17,	0.25		107-23502-17 107-23502-07	
APISROBEC17050	Piston EC17 + 0.50	EC17,	0.50		107-23404-01 107-23503-17 107-23503-07	
APISROBEC17075	Piston EC17 + 0.75	EC17,	0.75			
APISROBEC17100	Piston EC17 + 1.00	EC17,	1.00			
APISROBEH12STD	Piston	EH12			268-23401-02, 263-23401-H3 252-23501-07	
APISROBEH12025	Piston	EH12	0.25		252-23402-07 (268-23412-02 set)	
APISROBEH12050	Piston	EH12	0.50		252-23403-07 (268-23413-03 set)	
APISROBEH41STD	Piston	EH41	STD	89 mm	267-23501-07 267-23401-03	
APISROBEH41050	Piston	EH41	(+0.50)		267-23403-07	
APISROBEY15STD	Piston EY15 Standerd (AAB30275)	EY15,		63 mm x x 3	226-23401-03	
APISROBEY15025	Piston EY15 + 0.25	EY15,	0.25		226-23412-03	
APISROBEY15050	Piston EY15 + 0.50	EY15,	0.50		226-23413-03	
APISROBEY15075	Piston EY15 + 0.75	EY15,	0.75			
APISROBEY15100	Piston EY15 + 1.00	EY15,	1.00			
APISROBEY20STD	Piston EY20 Standerd (AAB30277)	EY20,		67 mm	227-23401-03	
APISROBEY20025	Piston EY20 + 0.25	EY20,	0.25		227-23402-03	
APISROBEY20050	Piston EY20 + 0.50	EY20,	0.50		227-23403-03	
APISROBEY20075	Piston EY20 + 0.75	EY20,	0.75			
APISROBEY20100	Piston EY20 + 1.00	EY20,	1.00			
APISROBNB411STD PMED49-52	Piston	NB411 Power Pro Auger - Post Hole PMED		40 mm	5412500300 5402500800 AAKR-B52	
AAKR-B50 PMED49-50	Piston Pin Clip	NB411 Power Pro Auger - Post Hole PMED			0565099990	

Piston

TURFMASTER no	Description	Model	OEM no.	Image may not depict the actual size, shape, etc.
AAKR-B51 PMED49-51	Piston Pin	NB411 Power Pro Auger - Post Hole PMED	5412500300	



SHINDAIWA

Shindaiwa B45				
APISSHIB45STD	Piston	<ul style="list-style-type: none"> ■ Note ■ Bore 40 mm ■ Height 38.00 mm ■ Head Type B - 2,5 ■ Piston Pin 11 x 35,0 x 7 ■ Rings 40 mm x 1.50 mm x 2 Rad 1,65 G15HF ■ Compression/Pin Top to top of Piston ■ Compression/Pin Center to top of Piston 16.50 	99909-136, 20021-41112, 20021-41117, 2080-98310, 20021-41111	
APISSHIT20STD	Piston	T20	31 mm x mm x 2	20035-41110
APISSHIT25STD	Piston	T25	32 mm x 1.5 mm x 2	20000-41111




SOLO

APISSOL48MMSTD	Piston	48 (650 AV)	48 mm	2200111
----------------	--------	-------------	-------	---------





STIHL

APISSTI0847MM	Piston	Stihl 08S*, TS 08*, TS 350 Note *Fits older 08S saws (Before S/N X 18 735 399) with 47mm Bore. Newer models have 49mm Bore. Be sure to check before ordering Bore 47mm Height 41mm Head Type Crowned (3.0mm) B-3 Rings 47mm x 1.5mm 2 Rad 1.95 Ductile Split Groove G15H Piston Pin 12mm x 7mm x 32mm Circlips 12mm Compression/Pin Top to top of Piston 21.5mm Compression/Pin Center to top of Piston 27.5mm		1108-030-20200	
APISSTI0849MM APISSTI08SSTD AAB30286	Piston AAB30286 (AARM65-12-24)	08	49 mm	4201-030-2000	
APISSTI023STD	Piston (AAB30293)	023 (1.2mm also available)	40 mm x 1.5 mm x 2 PIN 10 X 27	1123-030-2001	
APISSTI02945MM	Piston	Stihl 029 after S/N X 39 305 257 (Older 029 saws have a 45mm diameter piston), MS 290 Bore 45.95mm Height 36mm Head Type Flat Piston Pin 10mm x 31.5mm x 6mm Rings 46mm x 1.2mm (Std G15H) Compression/Pin Top to top of Piston 16mm Compression/Pin Center to top of Piston 21mm		1127-030-2003	
		Stihl 034 Super*, 036, MS 360			


Piston

TURFMASTER no	Description	Model		OEM no.	Image may not depict the actual size, shape, etc.
PM5900MS-B4	Piston	Note Does not fit standard 034 with 46mm bore Bore 47.94mm Height 38mm Head Type Flat P Piston Pin 10mm x 31.5mm x 6mm Rings 48mm x 1.2mm x 2 G15H (F-Cast GH.F) Compression/Pin Top to top of Piston 16.5 Compression/Pin Center to top of Piston 21.5mm		1125-030-2001 APISSTI03448M M	
PM5900MS-B6	Piston Pin			1125-034-1500	
PM5900MS-B7	Snap Ring 10			9463-650-1000	
APISSTI03850MM	Piston (AARM65-572441) SUPER	038S	50 mm x 1.5 mm x 2 PIN 12 X 33	1119-030-2001 APISSTI038STD5 0MM AARM65-572441 APISSTI038	
APISSTI038STD52M M - ONLY	Piston fits AAB27204 Cylinder (AAB30292) (AARM65-1232)	038 MAGNUM	52 mm x 1.5 mm x 2 PIN 12 X 32	1119-030-2002 (Piston Only)	
APISSTI038STD52M M	Piston	Stihl 038 Magnum, MS 380, MS 381 Note Will not fit standard 034 or 038 Super with 50mm bore Bore 51.94mm Height 39.5mm Head Type Flat P Piston Pin 12mm x 33mm x 8mm Rings 52mm x 1.5mm x 2 Rad 2.15 G15H (F-Cast GH.F) Compression/Pin Top to top of Piston 16.5mm Compression/Pin Center to top of Piston 22.5mm		1119-030-2003	
APISSTI041STD	Piston w/pin & clips fits Cylinder (AAB30298)	041 041AV, FARM BOSS FS10 FS410	44 mm x 1.5 mm x 2 PIN 10 X 30	1110-030-2000	
APISSTI044OLD	Piston	Stihl 044*, MS 440 Note *Older 044 chainsaws (before serial number 29382 283) have a 10mm wrist pin. This piston will not fit older style chainsaws. Please check before ordering. Bore 50mm Rings 50mm x 1.2mm Ductile Split Groove Piston Pin 12mm x 7mm x 33mm Circlips 12mm Head Type Flat P Height 39.5mm Compression/Pin Top to top of Piston 15.5mm Compression/Pin Center to top of Piston 21.5mm		1128-030-2015	
		Stihl 044 New Note			

Piston

TURFMASTER no	Description	Model		OEM no.	Image may not depict the actual size, shape, etc.
APISSTI044STD	Piston	<ul style="list-style-type: none"> ■ Bore 50.0 mm ■ Height 39.50 mm ■ Head Type P ■ Piston Pin 12 X 35,0 X 8 bic ■ Rings 50.0 mm x 1.50 mm x 2 Rad 2,1 G15H ■ Compression/Pin Top to top of Piston ■ Compression/Pin Center to top of Piston 21.50 		1128-030-2015	
APISSTI046STD	Piston	<p style="text-align: center;">Stihl 046, MS 460</p> <p style="text-align: center;">Bore 52mm Height 39.25mm Head Type Flat P Piston Pin 12mm x 7mm x 35mm Rings 52mm x 1.2mm 2 Rad 2.15 Ductile Split Groove G15P Circlips 12mm Compression/Pin to top of Piston 15.5mm Compression/Pin Center to top of Piston 21.5mm</p>		128-030-2009	
APISSTI051STD	Piston fits 051 (AARM65-1252) B30876	051 052	52 mm x 1.5 mm x 2 PIN 13 X 38	1111-030-2000	
APISSTI05652STD	Piston	056	52 mm x 1.5 mm x 2 PIN 13 X 34	1115-030-2001	
APISSTI05654STD	Piston	056 SUPER	54 mm x 1.5 mm x 2 PIN 13 X 34	1115-030-2002, 1115-030-2003	
APISSTI05656STD	Piston	056	56 mm x 1.5 mm x		
APISSTI066STD	Piston fits Cylinder (AAB30290)	066, MS660	54 mm x 1.5 mm x 2 PIN 12 X 33	1122-030-2005	
APISSTI066MZHD	Piston	066, MZHD	PIN 12 X 33		
APISSTI070STD-ONLY	Piston fits Cylinder (AAB30297) (AARM65-	070	58 mm x 1.5 mm x 2 PIN 15 X 42	1106-030-2003 (Piston Only)	
APISSTI070STD	Piston	<p style="text-align: center;">Stihl 070, MS 720</p> <p style="text-align: center;">Bore 58mm Height 54mm (B-4 = 58mm) Head Type Crowned (6.0mm) B-4 Rings 58mm x 1.5mm Piston Pin 15mm x 10mm x 42mm Circlips 15mm Compression/Pin Top to top of Piston 23.5mm Compression/Pin Center to top of Piston 31.0mm</p>		1106-030-2000	
APISSTI084STD	Piston	084	58 mm x 1.5 mm x 2 PIN 13 X 39		
APISSTIFS85STD	Piston	FS 75 FS85	34 mm x 1.5 mm x 2 PIN 8 X 22	4137-030-2010	
APISSTIFS108STD	Piston	FS108 ALSO FS106	37 mm		
APISSTIFS120STD USE APISSTIFS160STD AASTFS120-A13	Piston Compression 20.00 Head P Length 33.00	<p>Models; BT 120 C, FS 300, FS 350, BT 121, FS 120, FS 120 R, FS 200, FS 200 R, FS 250, FS 250 R</p>	35 mm x 1.5 x 2 Rad 1.45 G15H PIN 10 x 29 x 6	4134-030-2011	





Piston

TURFMASTER no	Description	Model		OEM no.	Image may not depict the actual size, shape, etc.
APISSTIFS120STD USE APISSTIFS160STD	Piston	Stihl FS120		4134-030-2011	
		<ul style="list-style-type: none"> ■ Note ■ Bore 35.0 mm ■ Height 33.00 mm ■ Head Type P ■ Piston Pin 10 X 29 X 6 ■ Rings 35.00 mm x 1.50 mm x 2 Rad 1,45 G15 ■ Compression/Pin Top to top of Piston ■ Compression/Pin Center to top of Piston 20,00 			
APISSTIFS160STD	Piston	FS160	35 mm	4119-030-2005	
APISSTIFS200STD AASTFS250-A13A	Piston	Models: FR 350, FR 450, FR 480, FR 480 C, FS 300, FS 350, SP 200, FS 120, FS 120 R, FS 200, FS 200 R, FS 250, FS 250 R		4134-030-2010	
		Stihl FS220 FS200			
APISSTIFS200STD	Piston (AAB30287) USE APISSTIFS220 STD	<ul style="list-style-type: none"> ■ Note ■ Bore 38.0 mm ■ Height 33.00 mm ■ Head Type P ■ Piston Pin 10 X 29 X 6 ■ Rings 38.00 mm x 1.50 mm x 2 Rad 1,6 G15 ■ Compression/Pin Top to top of Piston ■ Compression/Pin Center to top of Piston 20,00 		4119-030-2000	
APISSTIFS250STD AASTFS250-A13B	Piston	Models: FS 300, FS 350, FS 120, FS 120 R, FS 200, FS 200 R, FS 250, FS 250 R, HT 250, FR 350, FR 450, FR 480, FR 480 C, FT 250		4134-030-2003	
AASTFS250-A15 AA4600-B5	Piston Wrist Pin	Models: FR 220, SP 200, FS 120, FS 120 R, FS 200, FS 200 R, FS 250, FS 250 R, FR 350, FR 450, FR 480, FR 480 C, FT 250, MS 230, MS 230 C, 021, 023, 025, FS 120, FS 120 R, FS 200, FS 200 R, FS 250, FS 250 R, MS 270, MS 270 C, MS 280, MS 280 C, SP 451, SP 481, FR		4134-030-2003	
AASTFS250-A16 AA4600-B6	Snap Ring 10	Models: MS 340, BT 121, FS 96, 021, 023, 025, 024, TS 410, TS 420, MS 270, MS 270 C, MS 280, MS 280 C, FS 120, FS 120 R, FS 200, FS 200 R, FS 250, FS 250 R, 044, 028, MS 261, MS 261 C, MS 290, MS 310, MS 390, BT 120 C, FS 90, MS 270, MS 270 C, MS 280, MS		9463-650-1000	
APISSTIFS280STD	Piston	Stihl FS280		4119-030-2004 4119-030-2002	
		<ul style="list-style-type: none"> ■ Note ■ Bore 40.0 mm ■ Height 33.00 mm ■ Head Type P ■ Piston Pin 10 X 29 X 6 ■ Rings 40.00 mm x 1.50 mm x 2 Rad 1,6 G15 ■ Compression/Pin Top to top of Piston ■ Compression/Pin Center to top of Piston 20,00 			
		Stihl FS350			


Piston

TURFMASTER no	Description	Model		OEM no.	Image may not depict the actual size, shape, etc.
APISSTIFS350	Piston	<ul style="list-style-type: none"> ■ Note ■ Bore 38.0 mm ■ Height 33.00 mm ■ Head Type P ■ Piston Pin 10 X 29 X 6 ■ Rings 38.00 mm x 1.50 mm x 2 Rad 1,6 G15H ■ Compression/Pin Top to top of Piston ■ Compression/Pin Center to top of Piston 20,00 			
APISSTIFS350STD	Piston	FS350	42 mm		
APISSTIFS350-44STD	Piston	FS350	44 mm		
APISSTIFS360STD	Piston	FS360	44 mm		
APISSTIFS400STD	Piston	Stihl FS400 021, 023			
		<ul style="list-style-type: none"> ■ Note ■ Bore 40.0 mm ■ Height 33.00 mm ■ Head Type P ■ Piston Pin 10 X 29 X 6 ■ Rings 40.00 mm x 1.20 mm x 2 Rad 1,65 G15H ■ Compression/Pin Top to top of Piston ■ Compression/Pin Center to top of Piston 20,00 			
APISSTIFS40040	Piston	FS400 (1.2mm also available)	40 mm x 1.5 mm x 2 10 X 28	1123-030-2019	
APISSTIFS350STD	Piston	FS350	42 mm		
APISSTIFS350STD APISSTIFS45040 USE	Piston	FS450 (1.2mm also available)	40 x 1.5 mm x 2 10 X 28	1123-030-2019	
APISSTIFS350STD	Piston	FS480 (1.2mm also available)	40 mm x 1.5 mm x 2 10 X 28	1123-030-2019	
APISSTIMS180STD	Piston	Stihl 018*, MS 180, MS 180 C Note: Some older chainsaws come with a 10mm piston pin. This piston has an 8mm piston pin Bore 38mm Height 30mm Head Type Flat p+D1447 Piston Pin 10mm x 25mm x 6mm Rings 38mm x 1.2mm x 2 (Std G15H) Compression/Pin Top to top of Piston 11.5mm Compression/Pin Center to top of Piston 16.5mm		1130-030-2004	
APISSTIMS230	Piston	023, MS230 021 (Before Serial # X34944403	40 mm	1123-030-2001 1123-030-2019	
APISSTIMS25042,5MM APISSTI02542,5MM	Piston	MS250, 025 (1.2mm also available)	42.5 mm x 1.5 mm x 2 10 x 28	1123-030-2016 1123-030-2000	
AAB30296	Piston Kit with Rings	(362) Note: Older MS 200 chainsaws come with a 11.7mm piston. Bore 43.97mm Height 34mm Head Type Crowned (1.3mm) Piston Pin 10mm x 29mm x 6mm Rings 44mm x 1.2mm (Std G15H) Compression/Pin Top to top of Piston 15.2mm Compression/Pin Center to top of Piston 20.2mm		1121-030-2001	
APISSTIMS29045MM M APISSTI02945MM	Piston USE APISSTI02945MM	MS290,	45 mm x 1.5 mm x 2	1127-030-2003	


Piston

TURFMASTER no	Description	Model		OEM no.	Image may not depict the actual size, shape, etc.
APISSTIMS29046M M	Piston	Stihl 029 after S/N X 39 305 257 (Older 029 saws have a 45mm diameter piston), MS 290 Bore 45.95mm Height 36mm Head Type Flat Piston Pin 10mm x 31.5mm x 6mm Rings 46mm x 1.2mm (Std G15H) Compression/Pin Top to top of Piston 16mm Compression/Pin Center to top of Piston 21mm		1127-030-2003	
APISSTIMS290				1123-030-219	
PM5900MS-B4	Piston	Stihl 034 Super*, 036, MS 360 Note Does not fit standard 034 with 46mm bore Bore 47.94mm Height 38mm Head Type Flat Piston Pin 10mm x 31.5mm x 6mm Rings 48mm x 1.2mm (F-Cast GH.F) Compression/Pin Top to top of Piston 16.5 Compression/Pin Center to top of Piston 21.5mm		1125-030-2001 APISSTIMS360STD	
APISSTIMS361STD	Piston	Stihl MS 341, MS 361 Bore 46.96mm Height 41mm Head Type Flat Piston Pin 11mm x 33mm x 7mm Rings 47mm x 1.2mm (F-Cast GH.F) Compression/Pin Top to top of Piston 18mm Compression/Pin Center to top of Piston 23.5mm		1135-030-2000	
APISSTIMS038STD5 2MM	Piston	MS380		1119-020-1201 APISSTIMS380STD	
APISSTI038STD	Piston	Stihl 038 Magnum, MS 380, MS 381 bore Bore 51.94mm Height 39.5mm Head Type Flat Piston Pin 12mm x 33mm x 8mm Rings 52mm x 1.5mm (F-Cast GH.F) Compression/Pin Top to top of Piston 16.5mm Compression/Pin Center to top of Piston 22.5mm		1119-030-2003 1119-030-2002 APISSTIMS381STD	
APISSTIMS441STD	Piston	MS441	50 mm	1138-030-2003	
APISSTIMS660STD	Piston	Stihl 066, MS660 Bore 54m Height 43mm Head Type Flat Piston Pin 12mm x 7mm x 33mm Rings 52mm x 1.2mm F-Cast GH-F Circlips 12mm Compression/Pin to top of Piston 17mm Compression/Pin Center to top of Piston 23mm		1122-030-2005	
APISSTIFS350STD APISSTISP40040 LISE	Piston	SP400 (1.2mm also available)	40 mm x 1.5 mm x 2 10 X 28	1123-030-2019	

Piston

TURFMASTER no	Description	Model		OEM no.	Image may not depict the actual size, shape, etc.
APISSTISP45040 USE APISSTIES40040	Piston	SP450 (1.2mm also available)	40 mm x 1.5 mm x 2 10 X 28	1123-030-2019	
APISSTITS360STD	Piston USE APISSTI08SST D	TS360, TS350, 08S	49 mm x 1.5 mm x 2	4201-030-2000 APISSTI0849MM	
APISSTITS400STD	Piston fits Cylinder (AAB30299)	TS400	49 mm	4223-030-2000	
APISSTITS460STD APISSTI0849MM	Piston	TS460	48 mm	4221-030-2000	
APISSTITS510STD	Piston	TS510, TS760, 051	52mm	1111-030-2000	


STIHL PISTON PIN

PM72B005	Piston Pin	08S, 038, 064, BG17, BT360, P835, P840, SG17, MS640, SG17L, TS08, TS08S, TS350, TS350AVE, TS360, TS460,		1108-034-1501	
PM5900MS-B6	Piston Pin			1125-034-1500	
PM72B006	Piston Pin Circlip	Power Pro 7201MS Stihl 038	72B006 9463-650-1200	9463-650-1200	
PM5900MS-B7	Piston Pin Circlip			9463-650-1000	

STILETTO /

AAKSB11	Piston Assembly			AAKSB11	
AAKSB11-2	Piston Only			AAKSB11-2	


VICTA

APISVIC160STD	Piston	160 cc	61.33 mm	EN70714 EN72841R	
APISVIC160025	Piston + 0.25	160 cc 0.25		EN70715	
APISVIC160050	Piston + 0.50	160 cc 0.50		EN70716	
APISVIC160075	Piston + 0.75	160 cc 0.75		EN70717	
APISVIC160100	Piston + 1.00	160 cc 1.00		EN70718	


WACKER

AAB30291	Piston FOR WACKER 615664 CYLINDER (RING AAB30174)	BH23, BS45Y, BS52Y, BS60-2, BS60Y, BS62Y, BS65Y, BS75, BS500, BS600, BS700	45 mm	615664	
----------	--	---	-------	--------	--

YAMAHA

APISYAMMT110STD	Piston (AAB30891)	MT110V	52 mm	732-11630-00 732-11630-00-98 PS110B11	
APISYAMMT110025	Piston + 0.25	MT110V 0.25		732-11630-10 732-00635-00	
APISYAMMT110050	Piston + 0.50	MT110V 0.50		732-11630-20 732-11636-00	

Piston

TURFMASTER no	Description	Model		OEM no.	Image may not depict the actual size, shape, etc.
APISYAMMT100075	Piston + 0.75	MT110V 0.75		732-11630-30	
APISYAMMT100100	Piston + 1.00	MT110V 1.00		732-11630-40,	
APISYAMMT100150	Piston + 1.50	MT110V 1.50			
PS110B13	Piston Pin	MT110		131-11633-00	
PS110B14	Circlip	MT110		93450-15023	
TG950/7	Piston Only	950		7CE-E1631-00-A0	
APISYAMMZ136STD	Piston Std	MZ360 STD		7RH-11631-00-A0,	

YANMAR

APISYANL40STD	Piston	LA48 POWER PRO 170F		714780-22720, 714770-22720	 
APISYANL70STD	Piston Std	LA70 POWER PRO 178F		714880-22720, 714870-22720	
CD78-1701202-025	Piston 0.025	LA70 POWER PRO 178F			
CD78-1701202-050	Piston 0.050	LA70 POWER PRO 178F			
APISYANL100STD	Piston Std	LA100 POWER PRO 186F		714980-22720, 714970-22720, 02980-4309	
CD86-1701204-025	Piston 0.025	LA100 POWER PRO 186F			
CD86-1701204-050	Piston 0.050	LA100 POWER PRO 186F			
APISYANL40STD	Gudgeon Pin 19 mm	L40 L48		114250-22302 (19MM) CD70- 1701701	
APISYANL70STD	Gudgeon Pin 21 mm	L60 L70		114350-22301 (21MM) CD78- 1701702	
APISYANL100STD	Gudgeon Pin 23 mm	L75 L90 L100		114650-22300 (23MM) CD86- 1701703	
APISYANL40STD	Piston Clip	Yanmar L40 L48		22252-000190 (19MM) CD70- 1701601	
APISYANL70STD	Piston Clip	Yanmar L60 L70		22252-000210 (21MM) CD78- 1701602	
APISYANL100STD	Piston Clip	Yanmar L75 L90 L100		129792-22400 (23MM) CD86- 1701603	